Previous references.

2766—7 & 8 9/04
1-7-57-02
(Mc 1-03)

1905.
(Municipal)

File No. 225—04

Serial Nos. 145

Later references

Mc 594-05-(1-6)
Mc 134-07 (1).
Mc 364-09 4-7-25 (Pt) Mc 13
13/12/10 5

GENERAL AND REVENUE SECRETARIAT

Serial Nos. 145

Part B for November 1905

SUBJECT.

Kodi & Sampangi tank in the Bangalore city

FILE No MI 228 of 1904-05

Kodi to Sampangi tank in the Bangalore City

1 From the President Municipal Commission Bangalore City No 181 dated 24th October 1904
States that, as both the City and the Cantonment are supplied with water from the Chamarajendra Water Works, the necessity for filling the Miller's tank at the expense of the Sampangi tank does not exist that the petitioner's request asking the Government to close the two outlets is reasonable, and that the catchment intercepted by the two outlets belongs to the Sampangi tank and must be restored to it, as it will not cause much diminution of supply to the Miller's tank

2 To the First Assistant to the Resident in Mysore Pol No 520 dated 19th December 1904
Requests the favor of laying the question of restoring to the Sampangi tank the catchment intercepted by two outlets before the Hon'ble the Resident and informing the Durbar of his views in the matter

3 From the First Assistant to the Resident in Mysore No 1942 dated 31st March 1905
Forwards for the consideration of the Durbar a copy of a letter No 5123 dated 13th March 1905 from the President, Municipal Commission, Civil and Military Station of Bangalore on the subject

4 From the Private Secretary to His Highness No 732 dated 13th October 1905
Forwards for disposal petition Registered No 513 dated 2nd October 1905 from the Tigalars of Bangalore praying that their long standing grievance may be removed and full supply of water to the Sampangi tank secured by closing the several diversions in its feeder channel

5 To the First Assistant to the Hon'ble the Resident, Pol No 417, dated 28th November 1905
States in reply to Serial No 3 that the Durbar are unable to agree to the President's statement that the Brewery buildings constructed on the north of the Jail road are bound to receive protection and states that, under the circumstances it is reasonable to give full effect to the late Dewan's suggestion contained in para 17, clause 2 of his printed memorandum

G P No 4787—L P 51 02 dated 30th September 1904

GRS 11] 1904

GENERAL AND REVENUE SECRETARIAT

(Revenue)

NOTES

File No 22 S-'02

FILE HEADING

Kodi to Sampangi tank in the Bangalore City

From

The President, Mil Commrs, Bangalore City

No 481 Dated 24 10 '02 Received 25 10 1902

Diary No 2806 | Enclos 7 | Spare Copies - | Serial No

BRIEF ABSTRACT OF LETTER

Submits a further report in the matter of the Condemnation of a Kodi to the Sampangi tank

NOTES AND ORDERS

Please see the office note on the Govt Proc no (2766-71) 17 51-'02 dated the 30th Sept 1904 which contain all the facts of the case In reply to the said Govt Proc. The President now reports that as both

NOTES—First sheet

MGCPB—5 000—18 5 04

GRS 12j
General and Revenue
Secretariat

File No 228 of 1904

Serial No

the City and C & M Station are supplied with water from the Chamarajendra water works the necessity for filling the Meter's tank at the expense of the Sampangi tank does not exist, that the petitioners' request to close the two outlets is reasonable and that the catchment intercepted by the two outlets belongs to Sampangi tank and must be restored to it as it will not cause much diminution of supply to the Meter's tank In short the President thinks that full effect should be given to the late Dewan's suggestion Contained in para 17 Clause 2 to enable the Sampangi tank to receive the whole supply from the area above its feeder situated between Mr Rangacharlu's house and the saddle across the ridge in Cubbon road near the Native Infantry Barracks, in addn to as in para Rubricked for orders of the Mad ry Assistant Resident's letter No 272 15 to the President C & M Station, dated 8th May 1883

Rubd for orders
H Cunningham
2/11/04

re 1078-9
5
& 1883
8

Printed letter the above

Serial No 3 The Divisional called for the information from the President of the Bangalore City Municipality regarding the Sampangi tank

Submitted to the Divisional Asst. by the Councillor

9/11/1904

930/3-11-04

4 The Collector, Mandya in his letter of 1883 & Govt. that we have a Sluice cock to the Residential house & the Sampangi channel is in two levels & all the drainage from D downwards, and the outlets at E and F which are closed by the arrangement of 1883 & are therefore out of place

3-11-04

3/11/1904

2537/4-11-04 5 24/10 Thought we had been informed Board to say that we have done

5-11-04

6 To Branch II Please Sept. Guru 7/11/1904

H A S 8-9-11

7 Draft submitted & will have to issue after 15 days 11/11/04 verification of the D&W

25/11/04

Serial No

Encl to No 62 dy 26/11/04 —

8. The proposed draft of the Residency is forwarded to the Secy. to Govt in the P. W. D for favor of verifying the statements made therein as the previous correspondence on the subject was dealt with by him.

Secy Govt in the P.W. Dept
26/11/04

Un Offl No 41 dy 28-11-04

9. The "Draft" referred to above is herewith returned duly modified in red ink in the light of the information available in this Office —

Secy to the Govt of Mysore P.W. Dept

Bangalore 7-12-04

To,

The Secy to the Govt of Mysore Genl & Revenue Depts

Submitted —

10. Draft submitted to the Dewan Saheb 13-12-1904

10/12/04

Note—Contn sheet.

MGCPB—10,000—31-8-04

S 12]
General and Revenue
Secretariat

File No 228 of 1904

Serial No	
11	The draft letter to the Residency has been approved by the Dewan
2 12	Letter no Pol 520 dated the 19th December 1902 to the First Assistant Resident

States that, in the circumstances detailed therein, the Durbar proposes to restore to the Sampangi tank the Catchment intercepted by the said two outlets in its feeder at points C & D on the sketch to enable the Sampangi tank to receive the whole supply from the area above its feeder situated between Mr Rangacharlu's house and the saddle across the ridge in Cubbon Road near the Native Infantry Barracks, and requests the favour of laying the matter before the Honble the Resident and informing the Durbar of his views.

3 13	Letter no 1942 dated the 31st March 1905 from the 1st Asstt Resident

Forwards for the consideration of the Durbar a copy of letter no 5123 D. the 13th March 1903 from the President of the C & R Station Municipal Commission on the subject

14 In that letter, the President of

MGCPB—50,000—17 2 0.

12]
General and Revenue Secretariat

File No 228 of 1904

Serial No

the Station municipality states that the Commissioners have no desire to press any claim to the supply of water for the millers' tanks by means of those outlets, but that their interest in the matter arises at the Sampanga Road, and that they are bound to protect the Brewery buildings constructed on the north of the said Road & accordingly to protest against any increase to the supply of Sampanga tanks, unless steps are taken to prevent the tanks from overflowing in Station limits.

15 It is, therefore, seen that the objection taken by the Cavite Station municipality is merely in the interest of a few buildings that have recently come into existence on the bed of the tanks. But the question may perhaps be left for decision by the Commissioners of the Philippines & for the urgency of the Presidente of the Municipality of Cavite Station be submitted for orders

Wm Sidney
1/4/05

H.D.
5/4/05

Submitted to the Secretary of Commerce & Police for orders

H.D.
4/4/1905

2326
4-4-05.

In my humble opinion the

OTE.—Contin sheet

12]
General and Revenue Secretariat

Nil File No 228 of 1904

Serial No

Apte Lekhi Deputation is a good one and may be adopted if I understand the case aright, the Cabinet of the Lamington Court is not constituted to be raised but to recognize Feelers are proposed to be restored. If by such restoration any landlords who left home recently & grumpy are liable to injury, there seems no help for it—

C.
10.4.05

C.
11/4/05

5802/6 & 17 Vide draft letter to the Resident enclosed by the Dewan, which has been ordered by the Secretary to be issued.

5 18 Letter Pol. Dept. No 417 dated the 28th November 1905—

States that the Durbar are unable to agree to the Cochin State Council President's statement that the Brewery buildings constructed on the Works of the Jail Road are bound to receive protection inasmuch as

In short

such protection can only be to the prejudice of the recognized rights of the garden owners who hold lands below the tank, that these buildings are of recent origin while the right of the garden owners to use the water of the tank for irrigation purposes dates from a period long anterior to the construction of the buildings and that in such circumstances it is reasonable to give full effect to the late Dewan's suggestion contained in para 17 clause 2 of his memorandum to enable the Lampanger tank to receive the whole supply from the area above the feeder situated between Mr Rangacharlu's house and the saddle across the ridge on Cubbon road near the Native Infantry Barracks as has already been acknowledged in para 7 of the Asstt Resident's letter of the 7th May 1883 to the President of the Cantonment Municipality

MGCPB—50,000-17 2 0.

D 2806. Judl F 225-04 (1)

OFFICE OF THE MUNICIPAL COMMISSION,

City Bangalore, 24/25 October 1904.

No 181
Encl. 7 (Seven)

FROM

THE PRESIDENT,
Municipal Commission,
Bangalore City

To The Secretary to the Government of
His Highness the Maharaja of Mysore,
General and Revenue Departments,
BANGALORE.

Sir,

With reference to the concluding portion of para I of the Government Proceedings No. 2766-7 L.F.51-02 dated the 30th September 1904, I have the honor to report that the feeder from D'or from the late Mr. Ranga Charlu's house to the Sampige tank is in good condition. It is not known when the outlets in the feeder at E and F were opened out to feed the Miller's tank Nos. 1 and 3 probably long before the arrangement suggested in the late Dewan's Memo of April 1883 para 16 was made viz., restricting the catchment area of the Miller's tank to 124 acres at the underground masonry drain across the entrance to the Palace near the Railway crossing. The two outlets which should have then been closed are still open.

2. Now that both the City and the Cantonment are supplied with water from the Chamarajendra Water Works the necessity for filling the Miller's tank at the expense of the Sampige tank does not exist. Adequate supply of water to the Miller's tank has already been made. What remains to be done is to give full effect to the late Dewan's suggestion contained in para 17, clause 2 " to enable the Sampige tank to receive the whole supply from the area above its feeder situated between Mr. Ranga Charlu's house and the saddle across the ridge in Cubbon Road near the Native Infantry Barracks".

3 In conclusion, I beg to state that the petitioner's request asking to close the two outlets is reasonable. The catchment intercepted by the two outlets belongs to Sambige tank and must be restored to it and it will not cause much diminuation of supply to the Miller's tank.

I have the honor to be
Sir,
Your most obedient servant,

President.

To

Krishnamurthi, B.L., K.C.I.E.,

Dewan of Mysore,

Bangalore.



Most respected Sir,

The humble petition of the undersigned most respectfully showeth -

That your honor's petitioners are the owners and cultivators of lands situated on both sides of the Sampigerally Tank Bangalore.

The difficulties which your honor's petitioners have been experiencing for the last 20 years for want of water for the maintenance of crops, owing to the Tank being deprived of its various supplies are such as cannot be described in words.

The petitioners beg to bring to your honor's kind notice that the main source from which the Sampigenally Tank is fed has been diverted in different directions as specified in the Plan herewith submitted, thus depriving the Tank of its feed on which your petitioners fully depend for their maintenance

The various diversions referred to above are as follows -

A . . Turned.

B. . . . .To number one Siller's Tank.

C to D. . Channel closed.

E. To No. 1 Siller's Tank

F. . To No. 3 Siller's Tank

Under these circumstances the petitioners pray that your honor will be graciously pleased to inspect the places in person and thereafter order for such arrangements as will allow the Tank to receive its full supply

For which act of mercy your humble petitioners

duty bound ever pray for your long life and prosperity

The petitioners beg to remain,

Most Respected Sir,

Your most obedient and humble servants,

Bangalore,
Dated 28 April 1904.



CIVIL & MILITARY STATION MUNICIPALITY, BANGALORE.

7

Detail Estimate No. 4 of 1903-904

Reconstructing the Kode channel culvert
rle
ampangi Lands from north Compound wall
sing the Richmond Road thro garden along
south compo

DESCRIPTION OF WORK.	No.	Measurements. L	B.	D	Contents.	Total Contents.
Excavation Foundation to side wall of Culvert across Richmond Road	1	50	2½	7	875	
do do thro garden	2	250	1½	3	2250	
	Total cft					3125
new stone in clay mortar for under pinning to 1' in heft side wall of Culvert across Richmond Rd	1	50	1½	3	cft	225
new stone in clay Foundation to Right side wall of culvert across Richmond Rd	1	50	1¾	1	88	
Superstructure do do	1	50	1½	6	450	
Backing - do do	2	50	½	1	50	
Side wall of Culvert thro garden. Foundation	2	250	1¾	1	875	
do Superstructure	2	250	1½	3	2250	
Backing	2	250	½	½	125	
	Total cft					3838
new stone slabs 6" thick covering to culvert thro garden	1	250	4	(1)		

Detail Estimate,—*Continued.*

No. of Item	DESCRIPTION OF WORK.	No.	Measurements. L.	B.	D	Contents.	Total Contents.
5	Chunam pointing side walls of Culvert across Road	2	50	0	6	600	
	do thro garden	2	250	0	3	1500	
			Total Squares				21.00
6	Refitting ab coverg slabs of Culvert thro Richmond Road	1	50	6	(1)	Sft	300
7	Earth filling with watering & Ramping over Culvert thro garden including Earth available from Excavation	1	250	6	3	Cft	4500
8	Constructing Compd wall	1	Item			no	
9	Cutting and opening a new Channel	1	Item			no	

CIVIL & MILITARY STATION MUNICIPALITY, BANGALORE. 9

Abstract Estimate No. 114 of 1903-904

Re constructing the Hode channel culvert & wingwall from north compound wall across Richmond Road thro garden along South compd

DESCRIPTION OF WORK.	Quantity	Rate	Per	Amount.	Total Amount.
2	3	4	5	6	7
Excavation	3125	0 0 1	Cft	16	
new Stone in clay masonry	225	0 2 0	0	28	
new Stone in clay	3588	0 1 6		360	
new stone slabs 6" thick	1250	0 2 0	Ft	156	
Cement pointing	2100	1 4 0	Sqr	26	
Refitting old covering slabs of Culvert thro Road	300	0 0 2	Ft	3	
Earth filling	4500	0 0 1	0	28	
Constructing compound wall	1	Lump Sum		30	
Cutting & opening a new channel	1	do		22	
		Total Rupees		664	
		Contingencies		33	
		Grand Total Rupees		697	
		TOTAL ESTIMATE		Rs	697

DATED AT BANGALORE
December 23

Overseer.

Municipal Engineer

C. & M. Station Municipality,

BANGALORE.

—o—

PUBLIC WORKS DEPARTMENT.

DETAIL & ABSTRACT ESTIMATE

No 124 of 1903. 904

of the probable cost of Reconstructing the Node Channel Culvert of Sampangi Tank from North Compound Wall Cross way Richmond Road Thro' Garden at Cing's

Amount of Estimate Rs. 697//

Sanctioned by _____

_____

On the _____

Work commenced _____

Work completed _____

Actual Cost _____

Memorial Press,—Bangalore

Section of Culvert

From North Compound Across Richmond Rd

10



Section of Culvert

Along South Compound Thro' Garden



Scale 4 ft. / Inch

J. A. Stephens

Executive Engineer

124

50 (2)

To

R.C.H. Moss King, Esqre, I.C.S
1st Assistt to the Hon'ble the
Resident in Mysore.

Sir,

Encl plan &c

Pol No 520 Enc 1 plan
dy 19-12-1904

Orel Ellington

14 XII 04

The cultivators of the lands below the Sampangi tank in the Banga-lore City have been repeatedly complaining to the Durbar that the main source, from which that tank has to receive its supply of water, has been diverted at different points so as to deprive the tank, on which large interests depend, of its feed. The question as to the respective rights of the Bangalore City and the Civil and Military Station Municipalities over the Sampangi channel was definitely settled so far back as May 1883 by the Durbar suggesting certain works to be carried out to the said channel on specified conditions and the Hon'ble the Resident agreeing thereto (Vide paras 16 and 17 of the Memorandum by Sir K. Sheshadri Iyer, ~~Dewan~~, dated the 28th April 1883 and para 7 of the First Assistant Resident's letter to the President of the Station Municipality No.277-15 dated the 7th May 1883) Those wor s were duly carried

15

carried out by the Durbar
the cost of the Station Municipality,
the fact having been intimated to
the Hon'ble the Resident in ~~this office~~
letter No.4922-3/1111-2 dated the 6th
October 1885

2. The petitioners, however, com-
plain of two diversions from the Sam-
pangi feeder at the points marked E
and F on the enclosed plan for the pur
-pose of feeding Miller's tanks Nos 1
and 3 . But the settlement arrived
at by the Dewan and the Resident in
1883 never contemplated them. These
diversions ~~are~~ were evidently ~~unauthorized~~ intended to feed the Millers tanks
~~and moreover~~ but the need for supplying
the ~~Miller's~~ tanks at the expense of
the Sampangi tank is not now apparent as
the City and the Civil and Military
Station have been supplied with water
from the Chamarajendra Water works.
The Durbar accordingly propose to res
-tore to the Sampangi tank the catch-
ment intercepted by the said two out-
lets in its feeder at points E and F to
enable the Sampangi tank to receive
the whole supply from the area above
its feeder situated between Mr Runga-
Charlu's house and the saddle across
the ridge in Cubbon Road near the Na-
tive Infantry Barracks. I am accord-
ingly directed to request the favor
of your ~~informing the Durbar whether~~
the

2nd F 228-24 3

R P [illegible] 1905 – 100 26726

No 1942 Encse

From

R (H MOSS KING, Esq
FIRST ASSISTANT TO THE RESIDENT IN MYSORE

No 1595-D 31 3 05

To

The Dewan of Mysore

4 P M 31/3/05

Received

Dated Bangalore 31st March 1905

Sir,

I am directed to acknowledge the receipt of Mr Venkatavaradiengar's letter Pol No.520, dated the 19th December 1904 regarding certain diversions in the channel which forms the main feeder to the Sampangi tank.

2. In reply, I am to forward, for the consideration of the Durbar, a copy of a letter No 5123, dated the 13th March 1905, from the President, Municipal Commission, Civil and Military Station of Bangalore, on the subject Copies of the letters referred to in paragraphs 6 and 8 of Mr Moore's letter are enclosed.

I have the honour to be,
Sir,
Your most obedient servant,

For First Assistant Resident.

VR in

Rul F 228-02 (3) PS

Letter No. 5123, dated the 15th March 1905, from the President, Municipal Commission, to the First Assistant to the Resident in Mysore, Bangalore.

Reference.-Your No. 393 dated 24th January 1905.

I have the honour to report as follows — It is true that the question of the Sampanghi Feeder channel was settled in the agreement referred to in paragraph 1 of the letter enclosed with your No.520 Pol, dated 19th Decr 1904, from the Secretary to the Government of Mysore, General and Rev Departments. letter under reply. Under agreement the tunnel across the ridge between Infantry and Cubbon Roads was lowered. But, I believe, I am right in saying that the feeders running from the Sampanghi Channel (marked F and F in the enclosed plan) were never closed, nor was it definitely decided that C Key should be closed

2 From Col Sankey's Note of the 30th April 1883, it appears that one of these channels (marked F in the present plan) was made in 1861 The date of the construction of the other channel (F), I cannot find out I cannot therefore say whether it was in existence in 1883, or not The closing of these channels was not definitely required by that agreement, and the omission to close them has, I believe, never been objected to I may mention that the Station Municipality has spent a good deal of money on the channel marked F Only this year an estimate of ₹ 1,080 for its repairs was carried out.

3. The Station Municipality, however, has no desire to press any claim to this supply of water for Miller's Tanks Our interest in the matter arises at the Sampangi Road

4. Complaints were received from the owners of property in the vicinity that in years of heavy flood, their property was liable to be submerged from Sampangi Tank I enclose the correspondence on this subject between the President City Municipality and myself The contention of the City Municipality and apparently of the Government is that the owners of property who complained really built their houses on tank land, and have therefore no reason to

complain

complain.

5. As President of the Station Municipality, however, I do not think that I could possibly use such an argument for refusing protection to the owners in question. Whatever may have been the extent of the Sampangi tank at one time, its limits of late years have certainly not been considered to extend beyond the Jail Road. The maps show this road as the limit of the tank and we are, I think, bound to protect the Brewery buildings constructed on the north of the Road.

6. I would call attention to para 6 of the City Municipal President's letter No. 59 of 2nd August 1904, in which he says that it (Sampangi tank) is a shallow tank and gradually silting up. He therefore says that those interested would view any reduction of its capacity with apprehension But it is for this very reason that we view any increase of its supply with apprehension. The tank has been gradually silting up, its sluices have been closed for years, the only use (for agricultural purposes) made of the water is, I believe, the filling of the wells under the tank by percolation Para 1 of Colonel Sankey's Note shows that no irrigation under the tank was allowed. I think it quite possible that when irrigation under the tank was forbidden, compensation was paid in some form.

7. I have dwelt on the question of the Sampangi tank, because it is in that connection that the question of the channels from the Sampangi channel interests the Station Municipality

8. What we claim is that if these channels are to be closed, and the supply to Sampangi Tank considerably increased, steps must be taken to prevent the tank from overflowing in Station limits This might, I suppose, be done as suggested by the Chief Engineer, Mysore, in his No. 323, dated 14th April 1904, ~~to~~ the President, Municipal Commission, Bangalore City) letter in the file) enclosed His) remarks that this might not be worth doing, if compensation has to be paid, was of course made when there was no question of increasing the supply of the tank.

9. In any case, I would protest against any increase to the Supply Sampangi

Sampangi tank unless we could be in some such manner insured against floods. I have the honor to request return of the correspondence sent herewith.

---------oOo---------

ಆಇಕ 2೮೩-೨೩ B/ 21

Letter No.59,dated 2-8-1904 from the President,Municipal Commission, Bangalore City, to the Secretary to the Government of H H. the Maharaja of Mysore,Genl and Rev. Departments,Bangalore.

With reference to your docket No 4089/51-OP dated 25-4-04, calling for a report on the subject of constructing a Kodi to the Sampangi tank,I have the honour to submit herewith a copy of the Chief Engineer's letter No.323,dated 14th idem,giving his opinion on the subject.

2. I beg also to submit for the information of Govt copies of letters Nos. 4930 dated 12-2-04, and 796 dated 19-5-04, received from the President,Municipal Commission, Civil and Military Station, Bangalore,on the same subject,proposing to cut down the level of the Kodi by 4 feet This proposal amounts to reducing the capacity of the tank from 43 to 16 units Such a step will no doubt be stoutly opposed by the owners of land below the tank since it will keep dry for the most part of the year, seriously affecting the supply of water in the large number of wells below. It is evident therefore that this cannot be done without acquiring the whole atchakat of 35 acres and 24 guntas of land by paying a very heavy compensation

3 The tank is said to fill very rarely once in ten or twelve years. Its sluices are permanently blocked up, and it has no Kodi, and one is not absolutely required to be constructed The proposal to construct a Kodi and to permanently lower its level is advocated not for the safety of the tank as the highest floods keep 3 feet below the top of bund, but for saving the Brewery and other buildings lately sprung up in the bed of the tank from being flooded over

4. I agree with the Chief Engineer in his opinion expressed in the last para of his letter that the abnormal floods are rare and it is not worthwhile to construct a Kodi as, on an emergency is practicable to let out water by a temporary cut.

5. The vested rights of holders of land below the tank are of paramount

paramount importance, and cannot be lightly set aside to guard the interests of the Proprietors who have knowingly risked their money in erecting buildings in the bed of the tank unless they are prepared to buy up the properties of the land-holders, whose lands will be rendered useless, by any reduction in the capacity of the tank.

6. If it is nevertheless considered necessary in the interests of the ~~proprietors~~ properties that get submerged to construct a kodi, and lower its level by 4 or 2½ feet, then it would be advisable in my opinion to provide the culvert on the road with shutters, so that the level of water in the tank may be regulated according to requirements. It is a shallow tank and gradually silting up. Any proposal to reduce its capacity will be looked upon by those interested in it with grave apprehension.

7. Plan and estimate received from the President of the Station Municipality as well as the contour plan received from the Chief Engineer are herewith submitted for reference and kind return.

-- -----oOo---- ----

Letter No 323 dated 14-4-1904 from the Chief Engineer of Mysore to the President, Municipal Commission, Bangalore City.

--

With reference to your letter No 1952, dated 12/15-2-04 and subsequent reminder No. 2349, dated 30th ultimo, I have the honour to forward herewith a tracing showing contours of the Sampangi tank &c and to inform you that in my opinion it would be desirable to construct a Kodi 10 feet or so wide, at the south east corner, somewhere near where the recent cut was made, and a sl bbed culvert of 3 vents might be built over it for the road. The floor of this tunnel should be fixed at about 2 feet below the basement of the Brewery main building (or R.L. 43 00)

2. The question as to whether any compensation will have to be paid to the owners of the gardens below this tank if we reduce the level of full supply from 45 50 to 43 00 is a point which will have it is presumed to be first decided upon ? Such floods as we have experienced this last season are very rare, and it would not be

worthwhile

worthwhile to construct a kedi at all if compensation of any large amount has to be paid,as it would always be practicable to let water out by temporary cuts as was done last year at times of abnormal floods.

---------oOo---------

Copies "

A.S Tirumalai Ayyangar
Registrar
Resident's office

'22

D 3327 (4)

Name of Petitioner
Nejaman Subbarayappa,
Tigularpet, Bangalore city
Others of Bangalore -

Date of Petition 2-10-05

Date of Receipt - Received into
H H the Maharaja's Private Secy's
No 732 Dated 13/10/05

Abstract

Pray that the feeder channel
of the Sampangihalli tank
in the city to be rediverted in
such a way as to keep up
supply of water to enable them
to carry on their cultivation

HC 1/11

Rl 228-04
8 & R 4
D3327
25

3836 Rev

No. 732

OFFICE OF THE PRIVATE SECRETARY TO
HIS HIGHNESS THE MAHARAJA OF MYSORE.
Mysore 13th October 1905

Petition as shown below, to His Highness the Maharaja, is transferred to the Secretary to the Government of His Highness the Maharaja of Mysore, General and Revenue Department (Br I), Bangalore, for 05 Board

No 5/3705-00

By Order,

S Thacmm
I C S
Private Secretary
to H H The Maharajah of Mysore

Mk 228-62

E Macnaghten, Esqr. I.C.S.,
Private Secretary to His Highness
the Maharaja of Mysore,
Mysore

Respected Sir,

We respectfully beg to enclose herein our memorial for your Kind submission to His Highness the Maharaja.

For which act of Kindness we shall ever feel with a sense of gratitude

We beg to remain
Respected Sir
your most obedient and humble
Servants
Rajman Subba Rayaru

Rangacharlu

their cultivation and that they deeply regret that the authorities have not been pleased to do anything in the matter.

That your Highness' humble memorialists approach with this and fervently hope that their long standing grievance may be graciously taken into consideration and be pleased to cause the feeder channels turned to the tank.

At a glance of the plan attached (to be returned when no longer required) your Highness' humble memorialists ardently pray that the necessary orders be graciously issued to cause the diversion of the channels and thus restore the tank from the present condition.

For which act of generosity the memorialists ever pray for your Highness' long life and continued prosperity.

We beg to remain
Respected Sir,
your Highness humble and loyal subjects

2nd October'05.)
)
Bangalore City)



28

their cultivation and that they deeply regret that the authorities have not been pleased to do anything in the matter.

That your Highness' humble memorialists approach with this and fervently hope that their long standing grievance may be graciously taken into consideration and be pleased to cause the feeder channels turned to the tank.

At a glance of the plan attached (to be returned when no longer required) your Highness' humble memorialists ardently pray that the necessary orders be graciously issued to cause the diversion of the channels and thus restore the tank from the present condition.

For which act of generosity the memorialists ever pray for your Highness' long life and continued prosperity.

We beg to remain
Respected Sir,
your Highness humble and loyal subjects

2nd October'05.
Bangalore City






JAIL ROAD
P.W.D. Office
DIST. OFFICE AND TREASURY
DIST. OFFICE ROAD
CANNON BANK ROAD
JAIL ROAD
SIDENY ROAD
SAMPANGI TANK
BACK BAY CANAL
ROAD
ST. MARKS ROAD
FORT ROAD
RESIDENCY ROAD
RICHMOND ROAD
LAL BAGH ROAD.
REFERENCES
CHANNEL
ROADS.
BUILDINGS.
MADRAS, RAILWAY.
A — TURNED
B — DO. TO MILLERS TANK No. 1
C, D — CLOSED, CHANNEL.
E — DO TO MILLERS TANK No. 1.
F — DO TO DO. DO No. 3.
REDLINES SHOW CHANNEL & DIVERSIONS

29/11 03

31

To. (5)

The First Assistant to the Hon'ble
the Resident in Mysore.

Dated 29th November 1905.

Sir,

Pol no 459 of 29/11/05.

I am directed to acknowledge the receipt of your letter No.1942, dated 31st March last, forwarding for the consideration of the Durbar, a copy of X letter No.5123, dated the 13th March 1905, from the President, Municipal Commission of Civil and Military Station of Bangalore regarding certain diversions in the channel which forms the main feeder to the Sampangi Tank. I am to state in reply that the Durbar are unable to agree to the President's statement that the Brewery buildings constructed on the north of the Jail Road are bound to receive protection, in as much as such protection can only be to the prejudice of the recognized rights of the garden-owners who hold lands

q843
24 XI
25.11.1905

below the tank These garden-owners are as much entitled to protection at the hands of the Durbar as the owners of buildings are, as the President says at his hands These buildings are of recent origin, while the right of the garden-owners to use the water of the tank for irrigation dates from a period long anterior to the construction of the buildings

2 In these circumstances, I am to represent that it is reasonable to give full effect to the late Dewan's suggestion contained in para 17, clause 2 of his printed memorandum to enable the Sampangi Tank to receive the whole supply from the area above its feeder situated between Mr Rangacharlu's house and the saddle across the ridge in Cubbon road near the Native Infantry Barracks, as has already been acknowledged in para 7 of the Assistant Resident's letter to the President, Civil and Military Station, C.-15, dated 4th Feb 1863 As a matter

in ten or twelve years. As the proprietors of the buildings erected [illegible] the bed of the tank fully knowing the risk of such an action on their part, the Durbar would point out that they cannot be protected at the expense of the garden-owners who pay heavy assessment.

I have &c.,

Secretary.